

Printing date 18.10.2023

*

Version No. 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

de name: VELOSIT TG 721 Relevant identified uses of the substance or mixture and uses advised against No s	
Relevant identified uses of the substance or mixture and uses advised against No s	
uirements.	pecial
tor of Use	
19 Building and construction work	
22 Professional uses: Public domain (administration, education, entertainment, serv	vices, craftsmen)
21 Consumer uses: Private households / general public / consumers	
duct category PC9b Fillers, putties, plasters, modelling clay	
plication of the substance / the mixture Flexible joint mortar	
Details of the supplier of the safety data sheet nufacturer/Supplier: ducer: LOSIT GmbH &Co. KG ustriepark 5 - 7 32805 Horn-Bad Meinberg ephone.: +49 5233-9517-300 ::: +49 5233-9517-300	
ernet: www.velosit.de plier in the UK: LOSIT UK LTD	
LOSIT UK LTD nbrokeshire	
nbrokesnire it 6 Poolman Court London Road Industrial Estate	
2 4 RZ PEMBROKE DOCK	
ephone +44 (0) 22080508046	
ail info@velosituk.com	
<i>ther information obtainable from:</i> duct safety department iil: info@velosit.de Emergency telephone number:	
dical emergencies (GIZ-Nord Poisons Center): +49 551 19240	
CTION 2: Hazards identification	
Classification of the substance or mixture ssification according to Regulation (EC) No 1272/2008	
ssification according to Regulation (EC) No 1272/2008	
ssification according to Regulation (EC) No 1272/2008 GHS05 corrosion	
Solution according to Regulation (EC) No 1272/2008 GHS05 corrosion Dam. 1 H318 Causes serious eye damage.	
ssification according to Regulation (EC) No 1272/2008 GHS05 corrosion Dam. 1 H318 Causes serious eye damage. GHS07 I Irrit. 2 H315 Causes skin irritation.	
ssification according to Regulation (EC) No 1272/2008 GHS05 corrosion Dam. 1 H318 Causes serious eye damage. GHS07 I Irrit. 2 H315 Causes skin irritation. DT SE 3 H335 May cause respiratory irritation.	
ssification according to Regulation (EC) No 1272/2008 GHS05 corrosion Dam. 1 H318 Causes serious eye damage. GHS07 I Irrit. 2 H315 Causes skin irritation. DT SE 3 H335 May cause respiratory irritation. Label elements	
ssification according to Regulation (EC) No 1272/2008 GHS05 corrosion Dam. 1 H318 Causes serious eye damage. GHS07 I Irrit. 2 H315 Causes skin irritation. DT SE 3 H335 May cause respiratory irritation.	



Printing date 18.10.2023

Version No. 1

Trade name: VELOSIT TG 721

	(Contd. of page 2
Hazard pictogre	ams
F	
「ブー・	
GHS05 GHS	S07
011505 011	
Signal word Da	nger
Hazard-determ	ining components of labelling:
Portland cemen	t
Hazard stateme	
H315 Causes sk	
	rious eye damage.
	e respiratory irritation.
Precautionary s	
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves / eye protection.
P302+P352	1 1 1 1
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
Additional info	rmation:
Low in Chroma	te (< 2 ppm) acc. Regulation (EC) No 1907/2006 (REACH, annex XVII, 47).
2.3 Other hazar	rds
	and vPvB assessment
PBT: Not applied	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 65997-15-1 Portland cement EINECS: 266-043-4 🚱 Eye Dam. 1, H318; 🚯 Skin Irrit. 2, H315; STOT SE 3, H335 25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• *After swallowing:* Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB



Printing date 18.10.2023

Version No. 1

Trade name: VELOSIT TG 721

(Contd. of page 2)

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear dust mask.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear dust mask.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Wear suitable protective clothing, gloves and eye/face protection. Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 65997-15-1 Portland cement

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Prevent formation of dust.

Avoid contact with the eyes and skin.

Wear suitable protective clothing, gloves and eye/face protection.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

^{· 8.2} Exposure controls



Printing date 18.10.2023

Version No. 1

Trade name: VELOSIT TG 721

- Wash hands before breaks and at the end of work. • **Respiratory protection:** Not required. When mixing wear suitable dust-mask.
- · Hand protection



Use nitrile impregnated cotton-gloves (EN 374)

- · Material of gloves Nitrile impregnated cotton-gloves
- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection



Safety glasses (EN 166)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	ronerties	
• General Information	ropenies	
· Physical state	Solid	
· Colour:	Grey	
· Odour:	Light	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and boiling	chaolor minea.	
range	Undetermined.	
· Flammability	Not determined.	
· Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable.	
• Auto-ignition temperature:	Product is not selfigniting.	
· Decomposition temperature:	Not determined.	
· pH at 20 °C	11	
· Viscosity:		
· Kinematic viscosity	Not applicable.	
· Dynamic:	Not applicable.	
· Solubility		
· water:	Insoluble.	
	Sets with water.	
• Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not applicable.	
• Density and/or relative density		
Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not applicable.	
· Particle characteristics	See item 3.	
· 9.2 Other information		
· Appearance:		
· Form:	Solid	
		(Contd. on page 5)

(Contd. of page 3)



Printing date 18.10.2023

Version No. 1

Trade name: VELOSIT TG 721

Important information on protection of head	(Contd. of pag
Important information on protection of heal	in ana
environment, and on safety. Explosive properties:	Product does not present an explosion hazard.
Change in condition	Trouver ubes not present un explosion nuzuru.
Evaporation rate	Not applicable.
Information with regard to physical hazard	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation
- No sensitising effects known.

Low in Chromate (< 2 ppm) acc. Regulation (EC) No 1907/2006 (REACH, annex XVII, 47). Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Printing date 18.10.2023

Version No. 1

Trade name: VELOSIT TG 721

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Do not allow product to reach sewage system.

Mix product residues with water, allow to harden, then dispose of as construction waste.

• Uncleaned packaging:

· Recommendation: Empty paper packaging is recyclable.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name	, oiu
· ADR, ADN, IMDG, IAŤA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according	to IMO
instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
	(Contd. on page

(Contd. of page 5)



(Contd. of page 6)

Printing date 18.10.2023

Version No. 1

Trade name: VELOSIT TG 721

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII
- Low in Chromate (< 2 ppm) acc. Regulation (EC) No 1907/2006 (REACH, annex XVII, 47).
- · REGULATION (EU) 2019/1148
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Product Safety Department Phone: +49 (0)5233-9517-300 E-mail: info@velosit.de

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.